



3rd International Scientific Conference
**Management of Technology
Step to Sustainable Production**

MOTSP 2011

8-10 June 2011, Bol, Island Brac, Croatia

Conference Proceedings

Organizer:



University of Zagreb
Faculty of Mechanical Engineering
and Naval Architecture

Co-organizers:



University of Maribor
Faculty of Mechanical
Engineering



Politecnico di Torino



University of Primorska
Faculty of Management
Koper



University of Skopje
Faculty of Mechanical
Engineering



University of Zagreb
Faculty of Graphic Arts

Editor-in-Chief:

Predrag Ćosić

Editors:

Gordana Barić

Goran Đukić

Technical Editor:

Mario Lesar

Publisher:

Faculty of Mechanical Engineering and Naval Architecture Zagreb, Croatia

Organizer:

Faculty of Mechanical Engineering and Naval Architecture Zagreb, Croatia

Co-organizer:

University of Zagreb, Faculty of Graphic Arts

University of Primorska, Faculty of Management Koper

University Ss. Cyril and Methodius, Skopje, Faculty of Mechanical Engineering

University of Maribor, Faculty for Mechanical Engineering

Politecnico di Torino, Engineering II

Printed in:

Printera grupa d.o.o. – 150 copies

Published categorized papers are peer-reviewed by two independent experts.

All papers are presented in the form which is delivered by authors. The Organizer is not responsible for statements advanced in papers or spelling and grammar irregularities.

A CIP catalogue record for this book is available from the National and University Library in Zagreb under 770482.

ISBN 978-953-7738-10-5

Copyright © FSB, Zagreb, Croatia, 2011



European Commission
TEMPUS

This project has been funded with support from the European Commission. This publication reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.



Tempus IV Joint Project Curriculum Reform
MAS-PLM: Master Studies and Continuing Education Network for
Product Lifecycle Management with Sustainable Production
No.144959-TEMPUS-2008-IT-JPCR (www.master-plm.net)

Management of Technology – Step to Sustainable Production

MOTSP 2011

8–10 June 2011, Bol, Island Brac, Croatia

SCIENTIFIC COMMITTEE

Alar V. (Croatia)	Juraga I. (Croatia)
Angelides D. (Greece)	Katalinić B. (Austria)
Anisić Z. (Serbia)	Kennedy D. (Ireland)
Bachman B. J. (USA)	Kiss I. (Romania)
Balić J. (Slovenia)	Kladarić I. (Croatia)
Barić G. (Croatia)	Kljajin M. (Croatia)
Bilić B. (Croatia)	Kunica Z. (Croatia)
Božić S. (Slovenia)	Lisjak D. (Croatia)
Buchmeister B. (Slovenia)	Lombardi F. (Italy)
Butala V. (Slovenia)	Lulić Z. (Croatia)
Cajner H. (Croatia)	Majetić D. (Croatia)
Canen A. G. (Brazil)	Mamuzić I. (Croatia)
Chiabert P. (Italy)	Mandić V. (Serbia)
Ciglar D. (Croatia)	Marjanović D. (Croatia)
Čala I. (Croatia)	Mikac T. (Croatia)
Čatić I. (Croatia)	Milčić D. (Croatia)
Ćosić I. (Serbia)	Mudronja V. (Croatia)
Ćosić P. (Croatia)	Oluić Č. (Croatia)
Čuš F. (Slovenia)	Opalić M. (Croatia)
Dabić M. (Croatia)	Petković D. (BiH)
Dolinšek S. (Slovenia)	Plančak M. (Serbia)
Dubreta N. (Croatia)	Polajnar A. (Slovenia)
Duplančić I. (Croatia)	Poppeova V. (Slovakia)
Đukić G. (Croatia)	Raos P. (Croatia)
Ekinović S. (BiH)	Šakić N. (Croatia)
Filetin T. (Croatia)	Savescu D. (Romania)
Gečevska V. (Macedonia)	Šercer M. (Croatia)
Godec D. (Croatia)	Štefanić N. (Croatia)
Grubišić I. (Croatia)	Taboršak D. (Croatia)
Guzović Z. (Croatia)	Udiljak T. (Croatia)
Huntsinger C. R. (USA)	Veža I. (Croatia)
Illarionov R. (Bulgaria)	Wang, Yung-Cheng (Taiwan)
Janeš A. (Slovenia)	Žižmond E. (Slovenia)
Jerbić B. (Croatia)	

ORGANIZING COMMITTEE

Predrag Ćosić (Chairman)	
Alberto Canen (Honorary chairman)	
Huntsinger C. Ralph (Honorary organizer)	
Gordana Barić	Ana Kelemen
Hrvoje Cajner	Dragutin Lisjak
Davor Donevski	Diana Milčić
Nikša Dubreta	Nataša Tošanović
Goran Đukić	Helena Trbušić
Vesna Janković	

TABLE OF CONTENTS

Invited Speakers	1
<i>Čatić I., Barić G., Rujnić-Sokele M.</i>	
Culturological Interpretation of Assessment of Technology	3
<i>Chiampo F., Lombardi F.</i>	
Production and Environment	4
Invited Papers	5
<i>Mandić V.</i>	
Integrated Virtual Engineering Approach for Product and Process Development	7
<i>Takakuwa S., Veza I.</i>	
Manufacturing and Environmental Management	23
Industrial Engineering (Operations Management, Operations Research, Production Economics, Logistics and SCM, Quality Control, Maintenance)	31
<i>Tepić J., Tanackov I., Stojic G.</i>	
Etymology of Logistics – Historical Timeline	33
<i>Tanackov I., Tepić J., Kostelac M.</i>	
The Golden Ratio as a New Field of Artificial Intelligence – The Proposal and Justification	40
<i>Ranitović P., Tepić G., Sremac S.</i>	
Synergy Between ISO 14001 and the Criteria for Hazardous Material Transport	49
<i>Tupa J., Steiner F.</i>	
Improvement of Diagnostic Processes in Electronics Manufacturing and Development	54
<i>Kayaligil S., Yeralan S., Demirtaş K.</i>	
Approximate Performance Analysis of a Closed Line with Random Failures by Aggregation of Segments	62
<i>Folinas D., Manikas I., Kelemis A.</i>	
A Generic Methodology for the Prioritization of Logistics Processes: The Case of the Agrifood Supply Chain	68
<i>Achillas Ch., Aidonis D., Folinas D., Moussiopoulos N., Vlachokostas Ch., Triantafyllou D.</i>	
Application of Multiple Objective Linear Programming as a Tool to Improve Eco-Design of Industrial Products	76
<i>Loseva E.</i>	
The Role of Ural Region in the World Transport Infrastructure	82
<i>Andrijasevic M., Stojkovic Z.</i>	
Linking Quality to Profit	88

<i>Lajqi S., Pehan S., Pšeničnik J., Lajqi N.</i> Tracking the Prescribed Path Through an Autonomous Mobile Robot with Four Wheel Steering	94
<i>Wiktorsson M.</i> The Impact of Legacy in Production System Design	102
<i>Mickoski H., Korunoski D.</i> Two Link Manipulation Robot Control Using Fuzzy Logic	109
<i>Lovrec D.</i> Measures for Reducing Compressed-Air Consumption at the Place of Usage	116
<i>Evtugina A.A.</i> Retailers in Global Supply Chains and Their Performance in Emerging Markets	123
<i>Steiner F., Hujer T., Tupa J.</i> Usage of Decision Support Systems for Diagnostic Process Management	130
<i>Dakov I., Naydenov P.</i> Evaluating the Practical Applicability of Virtual Cellular Manufacturing Systems for Mechanical Machining	136
<i>Tic V., Lovrec D.</i> Implementation of Artificial Intelligence Within Oil-Condition-Monitoring Systems	148
<i>Janeš A.</i> With the Right Idea Towards Leadership in Supply	154
<i>Sobottka T., Leitner R., Sihn W.</i> Methodology for the Development of RFID-Value Added Services to Improve Supply Chain Operations	161
<i>Tašner T., Lovrec D.</i> Flexible Test Stands Based on LabVIEW	169
<i>Morawetz C., Sihn W.</i> Functional Model for a Capacity Adaption System Using Flexibility Options	177
<i>Dürr H., Duong N.A., Teich T., Tran N.A.</i> Knowledge-Based Estimation of the Energy Expenditure of Technological Process Chains	185
<i>Böröcz P., Földesi P., Mojzes Á.</i> Operational and Expense Structures of Logistics Packaging Systems	193
<i>Donevski D., Milčić D., Barbarić Ž.</i> Software Support in Paperboard Package Design	201
<i>Bajramović E., Islamović F., Gačo Dž.</i> TQM in the Motor Vehicle Service	206
<i>Kolar D., Dukic G.</i> Design of Order-Picking Systems with VLM-S	212
<i>Jesús Del Carmen P.A., Marco A.C.C., Martín H.C.R., Ricardo Noel C.D.</i> Comparative Study in the Problem-Solving Using Service Line Queuing Theory and Simul8	220
<i>Opetuk T., Cesnik V., Zolo I., Dukic G.</i> Route Planning for Urban Waste Collection: Problem Considerations on Case	228
<i>Gordić B.</i> Possibilities for the Development of Operational Planning and Production Control	236
<i>Cosic P., Lisjak D.</i> Estimation of Production Time by Regression and Neural Networks	243

Production Engineering (CIM, CAx, Product Development, Product Design, Rapid Prototyping, Manufacturing Technologies)	251
<i>Kostanjevec T., Kostanjevec M.</i> Structured Methodologies for Effective Product Development	253
<i>Lin S.Y., Liao W.C.</i> Milling Performance Analysis and Comparison for Different Strategies of Cutting-Tool Path Planning	261
<i>Wang Y.C., Chen C.H., Lee B.Y.</i> The Design Model of Micro End-Mills by the Finite Element Method	269
<i>Hsu Y.C., Yu S.H.</i> Simulation and Experimental Analysis for the Microstructures of Differential Heating Forging Process	277
<i>Hsu Y.C., Lin Y.L.</i> Cooling Duct Design and Stress Analysis of Hot Stamping Dies	285
<i>Wang Y.C., Lee B.Y., Liang T.H., Chang C.P., Chung T.S.</i> Digital Laser Measurement System for the Belt Tension of a Grinding Machine	292
<i>Lin J.C., Wang Y.C., Lu W.J., Chen D.Z.</i> Image Measurement System for the Glass Substrate of Flat Panel Display in a Mobile Phone	298
<i>Zuperl U., Cus F.</i> Intelligent Fixturing System with Clamping Force Control	305
<i>Tomic R.</i> Numerical Analysis of Critical Load of the Orthotropic Plates Using Finite Difference Method	313
<i>Budzik G., Kozik B., Oleksy M., Grzelka M., Dobrowolska A.</i> The Application of GOM Measurements for the Determination of Accuracy of Gear Casts Manufactured in the RT/RP Process	321
<i>Kozik B., Budzik G., Marciniak A., Dziubek T.</i> Geometric Accuracy of Wax Gear Models Manufacturing in RP Process	326
<i>Chang C.L., Wang Y.C., Yang C.C., Lin H.Y.</i> Finite Element Simulation of Thermal Behavior for a Ballscrew	332
<i>Godec D., Rujnić-Sokele M., Šercer M.</i> Energy Efficient Injection Moulding of Polymers	338
<i>Poppeová V., Uriček J., Bulej V., Šindler P.</i> Delta Robots – Robots for High Speed Manipulation	346
<i>Reibenschuh M., Cus F., Zuperl U.</i> Turning of High Quality Al Alloys with Minimum Costs	354
<i>Wieczorowski M., Grzelka M., Gapinski B., Marciniak L., Olszewska I.</i> Fidelity of Optical Techniques for Geometrical Inspection of Crankshafts	362
<i>Pospichal R., Bielak R., Liedl G.</i> SCWTEX – Simultaneous Cutting And Welding Of Textiles	368
<i>Bammer F., Schumi T., Schuöcker D.</i> Laser Assisted Bending for Efficient Light-Weight-Production	375
<i>Lin W.S.</i> The Dimension Accuracy Analysis of Wire-Flat Rolling Process	382

<i>Kostelac M., Tepić J., Tanackov I.</i> Justification of the Application of Tightening Elements in the Shaft-Hub Joint	389
<i>Yang T.S., Chang S.Y.</i> Investigation of the Extrusion of Porous Metal Using Finite Element Method	394
<i>Gapinski B., Grzelka M., Augustyniak M.</i> Problems with Proper Measurement of Round Profile on Coordinate Measuring Machines	402
<i>Grzelka M., Gapiński B., Trafarski A., Marciniak L., Budzik G., Gaca M.</i> Metrological Analysis of the Detail Reproduction Accuracy Using the Non-Invasive Computer Tomography Method Combined with Coordinate Measurements	408
Sustainable Development (Sustainable Production, LCA, Energy Efficiency, Renewable Energy Sources, Recycling and Waste Management)	417
<i>Rahäuser R., Pflüger T., Regenfelder M.</i> Economic Potentials of Improvements of Energy Efficiency in the Supply of Cooling Lubricants for Metal Cutting Machine Tools	419
<i>Šebo D., Fedorčáková M., Šebo J.</i> Unconventional Revitalization Technologies For Eutrophicated Standing Waters	428
<i>Rajkovic S., Markovic M., Rakonjac Lj., Nevenic R., Milovanovic J., Miric M.</i> Life Cycle Assessment – Ozone Injury in Forest Ecosystems	433
<i>Milovanovic J., Drazic G., Ikanovic J., Jurekova Z., Rajkovic S.</i> Sustainable Production of Biomass Through Miscanthus Giganteus Plantation Development	440
<i>Mirić M., Ivković S., Rajković S., Marković M.</i> Decaying Fungi Affecting Sustainable Production of Wooden Biomass as Renewable Source of Energy	445
<i>Regenfelder M.</i> Business Models on the Limits to Growth – Impacts on Manufacturing?	451
<i>Mingrone L., Montrucchio V.</i> Sustainable Production: Design by Components Methodology in Order to Obtain a Tailored Product	460
<i>Wiktorsson M.</i> Drivers for Life Cycle Perspectives in Product Realization	466
<i>Stahl B., Cerinšek G., Colombo F., Taisch M.</i> Competence Development Using Serious Games for Sustainable Manufacturing	474
<i>Morbídoni A., Favi C., Mandorli F., Germani M.</i> Environmental Evaluation From Cradle to Grave with CAD-Integrated LCA Tools	482
<i>Ceppa C., Marino G.P.</i> Green Production and Reliable Consumption	491
<i>Mojzes Á., Földesi P., Böröcz P.</i> Define Cushion Curves for Environmental Firendly Packaging Foam	499
<i>Dolinsek S., Poglajen M.</i> A Common Central European Model for Innovation and Its Application in Slovenia – The Case of Algal Biomass	506
<i>Markovic M., Rajkovic S., Milovanovic J., Miric M., Rakonjac Lj.</i> Biofungicides as Safer Chemicals in Clean Production	511

<i>Filetin T.</i> The Sustainable Croatian Industrial Development – An Approach	517
Management (Management of Technology, Organizational Management, Innovations), Education, Social Responsibility	525
<i>Trbušić H., Dubreta N.</i> Engineering Education and Social Responsibility: A Qualitative Study of Non-Technical Electiveness	527
<i>Lovrin N., Vrcan Ž.</i> Engineering Ethics for the 21st Century	535
<i>Savescu D., Budală A.</i> Some Aspects Regarding Socially Responsible Corporation	543
<i>Matić I., Jukić V.</i> Effectiveness of Innovation Processes Management in Small-Sized Firms in Bosnia and Herzegovina	549
<i>Matić I.</i> Organizational Learning in Croatian Companies: Prerequisites and Levels	557
<i>Belyaeva Z.S., Canen A.G.</i> Socially Responsible Business in the Brics Economies: Current Problems and Possible Development Ways	566
<i>Merkel A., Hopf H., Müller E.</i> Accelerating the Innovation Process with the Help of Open Source Prototyping Hardware	573
<i>Janeš A., Dolinšek S.</i> Causality Between the Key Performance Indicators: Are They for Real?	581
<i>Milovanov N., Bogomilov I., Slavinski A.</i> 4to6trans Use Case – Dynamic Network Inventory Data Population	589
<i>Bansal V., Mittal A.K.</i> Mining Patent Database to Build Technology Roadmap	597
<i>Schmidt B.S.G.</i> The Sixth Age: An Automobile Manufacturer Prepares for an Ageing Work Force	605
Report of Tempus MAS-PLM Project	611
<i>Gecevska V., Chiabert P., Cus F., Anisic Z., Veza I., Cosic P.</i> Education in Product Lifecycle Management New Innovative and Competitive Knowledge Concept	613
Index of Authors	625

METHODOLOGY FOR THE DEVELOPMENT OF RFID-VALUE ADDED SERVICES TO IMPROVE SUPPLY CHAIN OPERATIONS

Thomas SOBOTTKA¹, René LEITNER^{1,2}, Wilfried SIHN^{1,2}

¹Vienna University of Technology, Faculty of Mechanical and Industrial Engineering,
Institute of Management Science, heresianumgasse 27, Vienna, Austria

²Fraunhofer Austria Research GmbH, Division Production and Logistics Management
Theresianumgasse 7, Vienna, Austria

Abstract

Despite of the potential of RFID technologies to improve supply chain operations and control, RFID projects – especially in production heavy sectors – are often restricted to basic recognition functionalities, leaving much of the vast potential to improve supply chain operations and control unharnessed. This paper aims at providing a procedure to identify advanced value added services based on the RFID technology, tailor made to the companies' specific requirements. Considering all relevant processes the developed approach ponders potential benefits from RFID-deployment throughout the Supply Chain. As a key element a case study for SME in the electronic component industry is presented.

Keywords: RFID, supply chain, value added services, SME

1. INTRODUCTION

A major reason for the slow progress of the RFID (Radio Frequency Identification) technology in recent decades is the lack of emerging innovative applications that provide substantial added value, most prominently compared to the well established barcode – this paper is meant to address this central problem by describing a systematic procedure to improve the creative process of creating new application scenarios. Generally, the low level of RFID penetration in industrial environments contrasts with the significant potential and technical possibilities of the technology [1,2]. A similar situation can be observed concerning the level of sophistication of the majority of implemented RFID-applications today. Their relative plainness – mostly mere barcode substitutions and simple identification tasks [3] – contrasts with the variety of additional functions enabled by RFID, ranging from dynamic memory, contactless recognition of objects and readability without a line of sight and bulk reading capability to connectability with other information technology. One of the main reasons given by potential users in the industry is the difficulty of identifying promising applications, followed by the problem of hardly being able to predetermine the economical impacts of implementing RFID-systems.

Although there are numerous publications for RFID-introduction projects – both theoretical approaches and practical case studies – those works mainly focus on measuring the value and utility of RFID-systems, while the very process of creating new application scenarios has not yet been dedicatedly investigated in the available literature. Hence this paper aims at developing a procedure to systematically identify RFID-applications generating additional value – other than mere identification of marked items – thus providing planners with an efficient universally applicable tool to find suitable elements of an RFID-system in specific real-life environments. This is meant to simplify, shorten and improve the results and quality of RFID-projects.

The approach is designed under the premise of comprehensiveness – every area and division of a company should be considered a potential field for RFID-applications – and openness towards the nature of the Value Added Services (VAS) provided by the technology. The latter is especially important, since new and special environments constitute the potential for finding previously unknown opportunities for technology applications. To achieve this, methods and tools available in other fields, in particular those from engineering are to be adapted to apply to the systematic search for VAS.

The paper is structured as follows: First, in a compact literature review the relevant elements for the envisaged concept – RFID, VAS and Supply Chain Operations – are briefly explained, followed by an

overview of existing approaches to the development of new services – i.e. the Service Engineering concept. This is followed by a chapter on the concepts used to form the resulting VAS-search procedure – i.e. Service Engineering and morphological analysis. Based on these fundamentals, a procedure for the creation of RFID-applications will be developed and the first, preliminary results from an application of the developed procedure in a case study will be presented.

2. FUNDAMENTALS & LITERATURE REVIEW

In the following, basic terminology necessary for the precise description of concepts and methodology for the development of services – i.e. VAS – will be defined. Additionally, concepts already available and presented in literature for the development of services are introduced and discussed briefly. These concepts are then used as the basis for developing a specific RFID VAS-development procedure in following chapters.

2.1 Definitions of RFID, Value Added Services & Supply Chain Operations

RFID is an Automatic Identification and Data Capture technology (AutoID), thus enabling the automatic identification of objects equipped with an RFID-transmitter [4]. The characteristics of RFID, compared to other AutoID-technologies, are the ability to identify objects via electromagnetic waves sent between RFID-readers and transmitters (tags), transmitting information about the object from the tags to the readers. It is possible to identify multiple tags on multiple objects virtually simultaneously and some tags also enable changing the data saved on the tag-memory.

While the basic functionality of RFID is the automatic remote identification of tagged objects, the technology offers a large variety of additional benefits and applications, utilizing the full range of technical capabilities and the versatility arising from a combination of RFID-technology with other information technology, such as WLAN, Sensors and GPS-modules. In this work, these additional functionalities are -- referred to as *Value Added Services* provided by the application of RFID-technology.

In order to develop a toolset for the efficient creation of VAS, it is crucial that a proper *service* definition is assumed, including the characteristics and elements of services, which will then have to be systematically addressed by the to be developed procedure. Generally, services are defined as an intangible economic good characterized by the simultaneity of performance provision and consumption and the impossibility of saving and storing it. The integration of an external factor – i.e. the consumer – in the process also adds to the features distinguishing services [5]. From a constructional definition point of view, services consist of four elements: potential (i.e. the ability of the service provider to offer a service, constituted by human resources and auxiliary means), process (processes between service provider and consumer), result (status resulting from the effects of actions by the service provider on the consumer's side) and market (marketability and negotiations between service provider and consumer, concerning services) [6]. In the context of RFID-borne services, the concept of *hybrid products* has to be explained: hybrid products are services accompanying material products and are logically inseparable from the physical objects they complement. A typical example in the context of this work would be an automatic goods-receipt functionality provided by reading the RFID-tags of incoming goods – this kind of service is dependent on the existence of an installed RFID-system and is thus inseparable from it.

Supply Chain Operations, the designated object of the envisaged improvements through RFID applications, are the entirety of processes involved in the activity of creating value along the supply chain; from resources, via various production stages to the selling of finished products [7]. The main focus for the identification of VAS in this paper is on production- and distribution-logistics though not being limited to in-house-logistics.

2.2 Available Concepts for the Development of Services

Traditionally the development of services is considerably less covered by scientific publications than the development of material products [8]. The concepts that are available originate in (New) Product Development concepts (NPD) and can be distinguished into the New Service Development approach, which is decidedly marketing oriented [9], and Service Engineering, a concept focussing on an engineering perspective of the development of service products. The latter lends itself better to developing technology oriented services for RFID since the marketing component is not directly relevant for developing services provided by the application of RFID technology based on their technical utility for the company.

3. METHODS & CONCEPTS

All production and service development approaches are based on the fundamental principle of identifying demands and matching them against potentials of technologies or capabilities of service providers. For the purpose of this paper, the potential is being provided by the RFID technology while the demand equals the possible utility that can potentially be realised in companies using the technology. In the following, the methodology to form services, identified in the previous section, the RFID technology potential and a problem solving technique to be applied in the development process – i.e. morphological analysis – are introduced. These elements are considered to be the basic elements for the procedure developed in chapter four.

3.1 Service Engineering concept

The discipline of Service Engineering – in literature also referred to as Service Design – is a multidisciplinary way of systematically generating and designing services, utilising methods and tools from engineering, business administration and other fields [10]. A morphological approach to Service Engineering is to combine the four aforementioned service elements with a set of engineering dimensions, constituting a scope for designing services. This framework is visualized in Figure 1.

	potential-dimension	process-dimension	result-dimension	market-dimension
procedural models				
methods				
tools				

Figure 1 – Service Engineering framework by Bullinger – relevant elements for this work marked

The procedural model is a set of phases (initialisation-, analysis-, concept-, preparation- and implementation-phase) necessary to develop services. Methods in this context are described as techniques and instructions to achieve goals, while Bullinger et al define tools as IT-infrastructure to support the activities in the Service Engineering context.

The Service Engineering approach was originally designed to help create services for companies to offer and market. However, the nature of the RFID-Value Added Services significantly differs from that assumption. RFID-VAS and their design are not necessarily meant to create services for external parties but first and foremost to come up with services provided by the application of RFID-technology itself. That said, the utilisation of Service Engineering as a set of tools for systematically identifying and shaping services, like those envisaged in the context of RFID-VAS in this paper, is still appropriate, due to the similarity of basic characteristics of both service views. It is possible to assume a “virtual service provider” in whose interest the services are developed. However, since the focus is entirely on conceiving of possible applications for RFID – the VAS – a considerable share of the instruments of Service Engineering can be ignored. The “market”-element of the service dimensions is among those negligible parts, as is the Service Engineering dimension “tools”, since there is neither the necessity of marketing considerations and information technology supporting the services; at this point at least. If the VAS discovered by this adjusted procedure were later to be combined to form services a service provider would want to sell to his costumers, these elements had then to be added. The assumption of a “virtual” service provider appears sensible from another perspective: By its nature, RFID-systems are an item of equipment companies invest in – yet the possession of elements of an RFID-system do not in itself create benefits for the owner, other than the basic functionality of recognizing objects. The innovative ways of employing the technology in existing processes and even creating new value-creating processes using RFID as an enabler, are the key to utilising the capabilities of the technology. Thus, it is possible to assume a neutral service provider when shaping the way to conceive of the services with the only goal of finding useful services for an available technology.

3.2 RFID-potential & morphological analysis

The technology RFID constitutes a number of benefits or utilities, which in the course of an analysis phase of the Service Engineering procedural-dimension can be matched with process requirements, company goals as

well as current shortcomings and problems in existing supply chain processes. These benefits can be categorized into three dimensions, which are diagrammed in figure 2 [11,12]:

- Utility type
- Time frame of utility realisation
- Directness of the utility impact

There are the following three utility types:

- Automation-Effect: the substitution of manual operations due to automatically triggered operations and closing media gaps in the transmission of information
- Information-Effect: recording, retrieving processing and distributing data, real-time data availability
- Transformation-Effect: new processes enabled by RFID, e.g. decentralized material flow control




Figure 2 – Categories of RFID-utility/benefits

Using this open way of segmenting technology-benefits provides planners with an idea of what kind of applications are possible without restricting their thinking to a set list of validated application scenarios. The visualisation of three possible dimensions of RFID-utility is also a preparatory step for applying the morphological analysis problem solving technique [13,14].

To develop the three-dimensional utility categorisation into a morphological box – Zwicky Box – it is necessary to parameterize each dimension. The utility-type already consists of three dimensions – i.e. the three effects. Additionally, the timeframe of the utility realisation is categorized into “short-, medium- and long-term”, while the directness of the utility impact can assume the values “direct” and “indirect”, thus constituting a three-dimensional matrix with $3 \times 3 \times 2$ (=18) cells – the morphological field. The resulting combinations of parameters have to be analyzed according to feasibility and sensibility. Eventually, the combinations deemed practical and probable have to be scrutinized in an effort to find possible applications.

This method will then support the innovation of services, which, given the still limited number of developed application scenarios, is an opportunity to further utilize the entire technology-potential. However, in RFID-projects, additional checking whether a list of well established RFID-scenarios, known to have generated a positive turnover in similar projects, might partially fit the application environment in question, is nevertheless certainly recommended.

4. RESULTS

This chapter is dedicated to the final development of the envisaged specific VAS creation procedure. It is based on an adaption of the Service Engineering concept and features a morphology-based technique to guide, structure and support the process of creating ideas for RFID VAS. The technique is based on the assumption that human thinking and perception is characterized by categorization processes – a notion commonly held in modern psychology [15]. Eventually, the newly developed concept is applied in a case study and the preliminary results are presented.

4.1 Resulting Procedure

The procedure is based on the Service Engineering framework in combination with a morphological analysis. In a first step, the combination of the service dimension “results” and the procedural dimension from Service

Engineering have to be considered: Which steps have to be taken to define a process that delivers certain service results? At this stage the results themselves are not yet known since the service is not yet defined. Because this paper focuses solely on the identification of VAS, only the first three initial stages, initialisation-, analysis- and concept-phase are of interest. The first contains generating ideas for services while the latter two are dedicated to analysing requirements, evaluating ideas and drawing up a basic description for the envisaged service. However, in this context, generating ideas and analysing requirements should be conducted simultaneously to streamline the activity of finding ideas, to structure this creative process and to ensure the relevance of its results. The methods of determining the requirements – needs, problems and envisaged processes from a manufacturing-company's perspective that constitute the potential for an RFID-system application – are not part of the topic-focus of this work.

To structure the generation of ideas, the potential utility of RFID is converted into a morphological box – see figure 4 – and subsequently matched with the said requirements-portfolio. Example applications for every feasible combination have to drawn up in team-workshops, thus providing reference points for the creation of perhaps bolder and more innovative suggestions for RFID-application scenarios. It is of crucial importance to involve both shop-floor staff and management employees to allow for conceiving of ideas from a variety of angles with the chance of receiving application-suggestions of different natures.




Figure 3 – Zwicky Box for RFID utility

It is important to note that the presented categorization is not based on the principle of proper sets, since the elements of the utility-type dimension overlap partially. A combination of all three types of effects are for example equally important in constituting RFID-applications associated with error reduction within processes, e.g. through avoiding human error in transferring data and distributing the data electronically, thus enabling new processes. In order to use these categories in a morphological analysis, the prototype view of categories is employed. It is based on the assumption that categories are represented by a prototype and recognizable through characteristic, central features rather than the existence of a set of singly necessary features deterministically defining category membership – a probabilistic link between characteristics and affiliation with a category is established. Within this concept of categorization fuzzy sets are assumed, allowing for fuzzy borders between elements of the sets [16]. Since this concept is considerably closer to describing the way the humans perceive objects than the proper set assumption – publications of the psychologists Rosch and Gleitman elaborate on the typicality effect of human perception and categorization, on which the fuzzy set concepts rests – it lends itself well to being utilized in a categorization of thought processes in the concept of generating ideas, i.e. in the procedure developed in this work.

After a list of ideas has been compiled in the course of team-workshops the application options are evaluated regarding their feasibility. Following this, rough process outlines for the conceived VAS are produced to identify necessary process stakeholders, events and actions. This information is then used to design a draft solution for the technical application-implementation – i.e. necessary components and where to install the components. The data accumulated for each application option is then processed for an evaluation according

to costs, chances of timely implementation & and expected contribution to company/department goals. Enabling the project-team to gradually increase the level of sophistication of the created application scenarios, these steps are re-run several times. The resulting incremental and iterative procedure is diagrammed in figure 4.




Figure 4 – iterative procedure for the structured development of RFID-VAS

The planned result of employing the outlined procedure is a comprehensive list of requirements-specific RFID-application scenarios, prioritized according to their utility for a specific company and specific application environment.

The premise of including the entire company in the investigation of RFID-potentials leads to an increasing level of complexity for the task of finding promising applications with growing company size and thus a larger number of processes. To cope with the complexity, the Supply-Chain Operations Reference-Model (SCOR) can be applied to segment the system of processes and prioritize important processes [17,18] – e.g. processes associated with high costs, frequently used processes or processes spanning across the entire organizational structure – that are especially prone to the application of an AutoID technology. SCOR was developed by the Supply-Chain Council as a diagnostic tool providing companies with a framework to systematically describe their activities. This concept lends itself well for the task of identifying all company processes and displaying them in a clear arrangement.

4.2 Case study findings

In order to detail the procedure for finding potential RFID-applications, a case study in small and medium enterprises (SME) in the sector of electronics components production has been included in the research efforts. The value chains in this sector are characterized by short product life cycles, a high level of customer specific products and the necessity to continuously increase production productivity induced by the pricing pressure resulting from a growing competition from Asian markets. Hence, the potential of increasing transparency and reduced response times within the value chain provided by RFID is especially promising for application environments within this sector. This circumstance is relevant even more for SMEs with their limited resources, which makes them more vulnerable to challenging market developments and hinders their access to technology like RFID, hence the SME-focus of the case study.

The case study is part of an ongoing research project and thus no final results can be presented yet. However, the application scenarios that have so far been identified can be categorized into seven boxes in the morphological box developed above – the categorization is diagrammed in figure 5. Direct, short term effects can be identified in association with the Automation-Effect – mostly automatic reading of documents accompanying objects on their way through processes. Information gathered through an RFID-system on the production floor and utilized to supply Production Planning and Control (PPC) systems with real-time data on production-order progress are an example for the medium and long term utilities originating in the Information-Effect. Finally, a number of short- to long-term processes have been conceived of – e.g. new asset- and container-management systems in production logistics and returnable container systems with a decentralized, status dependent triggering of service processes enabled by applying RFID components. The latter can for example be applied to trigger container cleaning processes according to the actual cleaning

state of a container. The demand oriented consumption of secondary processes constitutes savings potentials, e.g. regarding transport volumes and operating costs of a returnable container management system. Those VAS-examples can be attributed to the Transformation-Effect and represent newly established processes.




Figure 5 – Categorization of RFID-applications identified in the case study

Despite the hitherto findings, it is not to say the combination inside the morphological box that have so far not led to finding application scenarios are unlikely to hold potential for innovative options. On the contrary, it is more likely that trying to expand beyond the area utility-implantations gathered so far is likely to produce rather sophisticated application utilizing more of the technology potential of RFID. Furthermore, this expansion would be tantamount to the widening of the portfolio of proper RFID-applications, thus contributing to improving the profitability of these kinds of AutoID systems.

The procedure itself proved to be an efficient instrument in structuring and pacing the application-identification process in the team-work sessions with industry partners. However, convincing companies of the benefits of a thorough analysis of technology potential has turned out to be challenging. Most companies who participated in the case study so far have insisted on reducing the scope for applying the search procedure to a limited set of processes. This highlights the importance of communicating the benefits of a comprehensive investigation of processes across departments and organisational units regarding the resulting performance potential of RFID-systems.

Another lesson to be learned from the current results is that in several cases the combination of RFID and barcode systems emerged as a promising solution in industry applications. As long as RFID-tags are considerably more expensive than printed barcodes, for some tasks within identification systems that do not rely on the specific capabilities of RFID – e.g. dynamic memory, no line of sight necessary, greater robustness – it is economically sensible to use the barcode option. Due to the similarity of basic characteristics between both AutoID techniques, the procedure can still be applied with a minor adaption – in the technical design phase one of the technologies has to be selected according to the requirements of the identification task.

5. CONCLUSION

The procedure developed in this paper is a practically oriented approach of guiding the creative process of envisioning RFID-applications in company-specific application environments that is able to reduce the complexity of the task and provides participants in this process with a framework to efficiently investigate the technology-potential in actual industry settings. While other RFID-implementation concepts hitherto have focused the cost-benefit considerations, the given procedure contributes to the work dealing with the process of creating innovative VAS for this technology. In the course of a cases study the procedure has been successfully tested and confirmed its aptness in real life applications.

Further, more detailed research might focus on a technique of systematically finding application scenarios – i.e. VAS – associated with utility categories that have so far been left unharnessed. This would support widening the opportunities for an RFID-system implementation. It is also conceivable that these newly found VAS would create synergies with already established VAS by requiring a similar technical implementation – this in turn would greatly improve the amortization of RFID-system investments.

Another potential follow-up research is the scope regarding an entire RFID-implementation project. The current work focused solely on the creative process of identifying and creating new and innovative application scenarios for RFID, while preceding steps – an early analysis phase to identify the demands and goals of a company – that generate necessary input data for the described procedure have been ignored. The same can be said of the steps following the implementation and early concept phase – those being the focus of this paper – of an RFID implementation project.



Figure 6 – Current work in the context of a comprehensive VAS development concept

Thus, future work on the research project, in the course of which the presented case study has been conducted, is meant to integrate the developed search procedure into a universal RFID-implementation concept. It is dedicated to provide SMEs with a practical guideline to efficiently and successfully conduct RFID-implementation projects in order to benefit from the vast potential this technology constitutes.

6. REFERENCES

- [1] Tajima, M.: *Strategic value of RFID in supply chain management*, Journal of Purchasing and Supply Management, Volume 13, Issue 4, December 2007, 261–273.
- [2] Resch, S.: *Entwicklung eines prozess- und erfahrungsbasierenden Analysemodells zur systematischen Identifikation und Bewertung von RFID-Einsatzpotentialen*, Springer-Verlag, Dortmund, 2008, 27-30.
- [3] Kern, C.: *Anwendung von RFID-Systemen*, Springer-Verlag, Berlin Heidelberg, 2006, 214-220.
- [4] Finkenzeller, K.: *RFID-Handbuch*, Carl Hanser Verlag, München/Wien, 1998.
- [5] Opitz, M.: *Organisation integrierter Dienstleistungsinnovationssysteme*, Gabler, Wiesbaden, 2009, 25-32.
- [6] Scheer, A., et al.: *Modellbasiertes Dienstleistungsmanagement*, Service Engineering, Springer-Verlag, Berlin Heidelberg, 2006, 23-26.
- [7] Gleißner, H., et al.: *Logistik*, Gabler Verlag, 2008.
- [8] Bullinger, H.-J., et al.: *Service Engineering – methodical development of new service products*, Int. J. Prod. Econ. 85, 2003, 275-287.
- [9] John, A., et al.: *New service development: a review of the literature and annotated bibliography*, European Journal of Marketing, 32, 1998, 184-251.
- [10] Bullinger, H.-J., et al.: *Service Engineering: Ein Rahmenkonzept für die systematische Entwicklung von Dienstleistungen*, Service Engineering, Springer-Verlag, Berlin Heidelberg, 2006, 72-76.
- [11] Bhuptani, M., et al.: *RFID Field Guide – Deploying Radio Frequency Identification Systems*, Sun Microsystems Press, Upper Saddle River NJ, 2005, 116-121.
- [12] Vilkov, L., et al.: *RFID Prozessorientierte Wirtschaftlichkeitsanalyse von RFID-Systemen anhand eines Referenz-Wirkungsmodells*, Wertschöpfungsnetzwerke - Konzepte für das Netzwerkmanagement und Potenziale aktueller Informationstechnologien, Physica-Verlag, Heidelberg, 2008, 265-303.
- [13] Zwicky, F.: *New Methods of Thought and Procedure*, Contributions to the Symposium on Methodologies, Pasadena, May 1967.
- [14] Ritchey, T.: *Fritz Zwicky, Morphologie and Policy Analysis*, 16th Euro Conference on Operational Analysis, Brussels, 1998.
- [15] Markman, A.B., et al.: *Thinking*, Annu. Rev. Psychol. 52, 2001, 223–47.
- [16] Gleitman, H., et al.: *What some concepts might not be*, Cognition, Volume 13 Issue 3, 269-305
- [17] Supply-Chain Council: *Supply-Chain Operations Reference-model*, SCOR 90 Overview Brochure, supply-chain.org/f/SCOR%2090%20Overview%20Booklet.pdf, 2011-03-27.
- [18] Schmidt, D.: *RFID im Mobile Supply Chain Event Management*, Gabler Verlag, Wiesbaden, 2006.