

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Sorting Category: 05.18 (C)

An empirical method to account for spin-fluctuation suppression of magnetism in Fe pnictides PETER BLAHA, TU Wien, IGOR MAZIN, MICHELLE JOHANNES, Naval Research Laboratory — Parent materials of Fe-based superconductors, such as BaFe_2As_2 , are itinerant antiferromagnets, and as such should be better described by LDA calculations than are strongly-correlated cuprates. To an extent, this is true, but LDA, being a mean-field approximation, underestimates the suppression of the long-range magnetism due to spin fluctuations. These can be accounted for within Moria's self-consistent renormalization theory, which, however, includes unknown parameters such as the mean amplitude of the spin-fluctuations. We propose to include Moria's renormalization empirically, through a scaling of the LDA exchange-correlation magnetic field by a uniform constant factor, tuned so as to reproduce the observed phase diagram. This is a much more physical method to produce electronic bands with a proper exchange splitting, than adding an artificial "negative-U" term within an LDA+U formalism, a technique used now. We will report the results of such renormalized calculations for BaFe_2As_2 and, for comparison, for a prototypical itinerant magnet, ZrZn_2 .

Prefer Oral Session
 Prefer Poster Session

Peter Blaha
pblaha@theochem.tuwien.ac.at
TU Wien

Date submitted: 30 Nov 2010

Electronic form version 1.4