

Proceedings of 7th Transport Research Arena TRA 2018, April 16-19, 2018, Vienna, Austria

Terminal On Rail - Air Baggage drop off during train ride to the airport

Bernhard Rüger a, Christian Albl b *

^a*Vienna University of Technology, Karlsplatz 13, 1040 Vienna, Austria*

^b*ÖBB-Holding, Am Hauptbahnhof 2, 1100 Vienna, Austria*

Abstract

Supported through the increasingly extended high-speed railway network in Europe, there are a wide range of considerations for replacing intra-European air traffic to a large extent with the railway. In short-haul traffic, the railway can thereby replace the whole of air traffic as well as play an essential role in feeder traffic on medium- and long-haul flights. In order to create a corresponding demand, the railway must be highly attractive and operate within the framework of an overall airport-feeder system. The following essay deals, from the point of view of travellers, with the basics that should produce a corresponding attractiveness and thus acceptance.

Keywords: airport train, baggage drop off during train ride, customer needs

* Corresponding author. Tel.: +43 1 58801 23212; fax: +43 1 58801 23212
E-mail address: bernhard.rueger@tuwien.ac.at

1. Introduction

In order to reach the EU international community of nations demand for a limitation in temperature rise by 2050 in the EU, greenhouse gas emissions in the transport sector must be lowered by at least 60% compared with 1990 and around 70% compared with 2008. By 2030 a reduction of about 20% below the level of 2008 is required. Taking into account the assumption that mobility will continue to increase and as a result the volume of traffic will increase, a reduction in greenhouse gases can only be achieved by an increased use of environmental- and resource-conserving modes of transport. For this purpose, the European Commission has defined ten objectives for the transport sector in a White Paper titled "Roadmap to a Single European Transport Area - Towards a Competitively Oriented and Resource-Conserving Transport System". One of these objectives targets long-haul passenger traffic and proposes the following measures:

- Completion of a European high-speed railway network by 2050
- Tripling the length of the existing network by 2030 and maintenance of a dense rail network in all member states
- By 2050 the majority of passenger transport over middle distances should be allotted to the railway.

In order to be able to meet these objectives as much as possible, one feasible approach is to shift to the train (ultra) short-haul flights, which usually have a feeder function to medium- and long-haul flights. In this regard, there are a variety of cooperation possibilities between the aviation and railway sectors. Parallel to this, the political objectives in the field of air traffic are formulated in "FlightPath 2050" published by the European Commission in 2011. In this strategy paper, in addition to societal objectives (for 90% of EU citizens a door-to-door four hour connection should be possible by 2050), environmental protection measures are also formulated (reduction of emissions despite projected growth in the aviation industry). This is a subject of discussion by European industrial leadership who also demand preservation of the already very high safety level in Europe despite the increase in air traffic. These objectives are currently being processed and implemented within the framework of European research programmes (such as JTI CleanSky - fuel efficiency and noise reduction and SESAR - "common" European airspace).

2. Forms of intermodal cooperation concepts between train and aircraft

A good transport connection is an important attractive feature for airports. At present, around 130 of all airports worldwide have rail connections (see Chiambaretto, Decker 2012), with further railway connections being planned. Originally, rail connection played only a limited role, which mostly involved only local transport and primarily connected city centres and the surrounding areas with airports (see Givoni, Banister 2008). It has only been in the past few years that concepts have been implemented to connect city centres to airports, which have made rapid connections possible (e.g. Heathrow Express in London), and in some cases also connections providing service functions such as check-in or luggage check-in (e.g. the CAT in Vienna).

With the advent of high-speed rail transport, new opportunities for trains were created with regard to their competitive relationship to aircraft. The shorter travel times allowed the train to compete directly with aircraft at distances between 350 km and 750 km (see Yang, Zhang 2012). From this competition situation, cooperation comprised of a combined offer between train and aircraft also developed to some extent. A distinction is made in the literature between the following forms of the relationship between train and aircraft (see Givoni, Banister 2006):

- Competition,
- Cooperation and
- Integration.

The two points "cooperation" and "integration" are the forms of intermodal traffic between train and aircraft which are relevant for airport connections. Different forms of cooperation between railway companies (RCs) and airlines are being developed, which are intended to provide passenger-aligned services. This can include, for example, the area of luggage transport, check-in, ticketing, information and security services (see See Schulz, Baumann, Wiedenmann 2010). Depending on the degree of cooperation, the offers may be classified as follows (See Chiambaretto, Decker 2012):

low: This type of cooperation is intended to provide travellers with a fast and congestion-free arrival to or departure from the airport. This includes, for example, the sale of train tickets by the airline (e.g. Rail&Fly - Germany).

moderate: This form of integration usually involves codeshare agreements between the RC and the airline. In addition to the train number, the respective train is assigned its own flight number and is distributed by both parties. The advantage for the traveller is that in case of late arrivals, the necessary measures such as rebooking are carried out by the airline or the RC (e.g. tgvair - France).

high: A higher form of integration in addition to the aforementioned points also includes luggage transport or separate areas in the train for business- and first-class passengers (e.g. AIRail - Germany, up to 2007).

Table 1 provides an overview of the forms of cooperation and the respective characteristics (Chiambretto, Decker, 2012).

Level of cooperation	Type	Example	Participating companies	Range of services
low	Interlining-agreement	Rail&Fly	DB with 70+ airlines on 5000+ routes	Sale of tickets
moderate	Codeshare-agreement	tgvair	SNCF with 10+ airlines	Assignment of own train- and flight number; ev. Integration of IT-systems
high	Joint-Venture	AIRail	Lufthansa with DB between Frankfurt – Cologne and Frankfurt - Stuttgart	Coordination of luggage transport (up to 2007) and other service features; separate areas and catering service in the train

There are different cooperation models between airline and railway operators worldwide. In the following, four concrete examples are described in more detail, each of which have a different degree of cooperation.

2.1. Rail&Fly of the DB (German Railway)

Rail&Fly is a cooperation between the German Railway, airlines and tour operators. It makes it possible for the traveller, at a fixed price, to travel from or to any German Railway train station to or from the airport. The offer can only be booked together with air travel on an airline or with a tour operator.

The ticket pricing depends on the respective airline, whereby the Rail&Fly tickets are sometimes included free of charge for long-haul flights. For flight bookings in economy class, train tickets are usually issued in 2nd class, and for first- and business-class passengers mostly 1st class tickets are issued.

2.2. Fly Rail Baggage and Check-in at the Train Station of the SBB (Swiss Federal Railway)

The "Check-in at the Train Station" as well as "Fly Rail Baggage" services are offered in a cooperation between the SBB and the airports of Zurich, Berne and Geneva. In terms of technology and operation, these services are a combination of SBB's classic travel-luggage service and flight-luggage transport. Travellers can check-in flight luggage at 56 train stations in Switzerland ("Check-in at the Train Station") and also at the same time receive the boarding pass. The luggage is then checked through to the aircraft. This service is used by approx. 1% of air travellers who first use the train. Each station that is open for luggage handling in Switzerland also has its own "IATA-Code" (International Air Transport Association Code), whereby it is possible to check luggage through from all airports in the world to the destination train station in Switzerland ("Fly Rail Baggage"). This service must be purchased in advance. The customers must attach the destination label to the baggage themselves while still abroad. The staff at the airport in Switzerland sorts out luggage with the green etiquette and hands it over to the SBB for transport. This service is used in Switzerland by approx. 0.3% of air travellers who subsequently use the train.

2.3. tgvair of the SNCF

tgvair is a cooperation between the SNCF (French National Railway) and individual airlines. For international takeoffs from or landings at both Paris airports Roissy and Orly, the arrival/departure with the high-speed train (TGV) can be booked together with the flight ticket. By means of codeshare agreement, the TGV-connections

receive their own flight numbers and are also distributed by the airlines in their booking systems (see See Chiambaretto, Decker 2012). The programme currently includes 19 TGV train stations that have an IATA code in France as well as Brussels in Belgium. A train ticket is issued upon departure at a TGV train station by presenting the flight ticket at the tgvair ticket counter. While check-in for Air France flights can be made at the tgvair counter and the boarding pass is issued, with other airlines it is in part still necessary to check-in for the flight separately at the airport.

In the opposite direction, upon arrival at Roissy or Orly, travellers receive their train ticket for further travel at the tgvair ticket counter in the train station. With tgvair there is no possibility for luggage check-in. It is worth emphasizing that in case of late arrivals, there is a service for travellers by which they can be rebooked for the next train or flight.

2.4. AIRail of the DB and Lufthansa and the ÖBB (Austrian Federal Railway) and Austrian Airlines

AIRail was introduced in March 2001 and constitutes a cooperation between the DB and Lufthansa. The offer provides that feeder traffic from Cologne, Stuttgart and Siegburg/Bonn to Frankfurt airport is made by IntercityExpress (ICE), which then in addition to the train number, has a Lufthansa flight number and can be booked in the Lufthansa booking systems.

At the train stations in Cologne and Stuttgart, check-in to the final destination can be made at so-called AIRail centres. There, the travellers receive boarding passes for the train and for the flight. Up to April 2013 check-in counters were available, which have since been replaced by check-in automats. In addition, the check in can also be carried out online. In the opposite direction, travellers will already receive the boarding pass for the train at the embarkation airport. Up to 2007 travellers were able to leave luggage at the check-in counters in Cologne and Stuttgart (See Chiambaretto, Decker 2012). In 2007, this service was discontinued and travellers had to carry out the baggage transport themselves. Only in the AIRail terminal at Frankfurt Airport can passengers leave their luggage and then go directly to the security checkpoint. On the return trip, the luggage is handed over to the travellers at the AIRail Terminal.

Travellers are provided with specially marked coaches in the ICE. For business-class travellers, separate areas are reserved on the train. AIRail's own train attendants take care of AIRail travellers and serve the catering on the trip.

Since December 2014 in cooperation with the ÖBB and Austrian Airlines, an AIRail service analogous to the DB system has also been offered between Linz main train station and Vienna International Airport. However, no special service is currently offered in connection with luggage transport. At the Linz main train station and Vienna International Airport however, porters support passengers in boarding and deboarding with their travel luggage.

2.5. Comparison of service features offered

Table 2 shows a comparison of the included service features of the described models.

Intermodal offer	Train ticket sales by airlines	Codeshare - agreement (own flight number for train)	Check-in at departure train station	Luggage check-in at departure train station	Guarantee in case of late arrival	Separate area in the train and catering
Rail&Fly (DB)	●					
Fly Rail Baggage und Check-in at the train station (SBB)			●	●		
tgvair (SNCF)		●	●†		●	
AIRail (DB)		●	●	○‡	●	●

† just for a few airlines.

‡ Service was offered till 2007.

3. Influence of luggage on the choice of transport mode

The transport of luggage is an essential decision-making criterion for the choice of transport mode. Despite increasing costs in the area of motor vehicle traffic or increasing traffic problems, the auto still enjoys unwavering popularity, with feeder traffic to the airport as well, above all due to luggage transport when travelling. The reason is that compared to all other flexibilities, flexibility with luggage is highly valued. (see Table 3).

Table 3: Travel flexibility in Austrian holiday travel traffic – comparison (see Rüger 2004)

Luggage	0.685
Mobility to destination	0.655
Travel cost	0.630
Transfer	0.469
Travel time	0.386

The thereto by comparison lower cost and travel time elasticity presupposes that changes in travel cost whether these are: cost increases for passenger-car traffic, cost reductions for train traffic as well as alterations in travel time, prolongation with passenger-car traffic or expediting measures with public transport; in all cases of travel in which luggage is transported, these have a correspondingly lower effect than measures relating to luggage transport.

Thus, for example, for 82% of winter holidaymakers travelling by auto in Austria, travel luggage is a major reason for the choice of the auto during holiday travel, whereas for only 55% the cost and for 40% the travel time have a decisive influence (see Rüger 2005). These findings apply analogously in feeder traffic to airports. In the case of air travel, the luggage for example, strongly influences the choice of transport mode for arrival at the airport. Above all in the case of transport of larger and heavier pieces of luggage, airport taxi services or private autos are chosen depending on the distance to the airport. The train is then preferred if little or no luggage is taken. Conversely, travellers in intermodal traffic (rail- air-traffic) are prepared to pay the most for luggage transport services compared to all other service (See Chiambaretto, Baudelaire, Lavril 2013).

4. Wishes for airport feeder trains

In the research projects "Gepäcklos" and "TerminalAufSchiene", among other things, the wishes and needs of AIRail passengers for appropriate feeder trains were compiled separately. A total of 2193 passengers were interviewed in AIRail trains and a further 174 passengers in the airport lounge at Vienna International Airport in the years 2014 and 2016). In addition to the connection guarantee in the sense of assurance of connections or travel alternatives, which are offered in the above-mentioned cooperation and integration systems, above all the factors: "short travel time", "check-in on the train" and "luggage check-in on the train" play an important role in regard to the attractiveness and increased choice of the train in feeder traffic to airports. All three criteria are evaluated on average as "rather important", with an average score of 2.9 to 3.3 on a scale from 1 (not important) to 4 (very important) (see Figure 1).




Figure 1: Importance of diverse product features for airport feeder trains (see GepäckLoS & Albl 2015)

For approx. 70% of travellers arriving at the airport, the possibilities for handing over luggage and at the same time checking in on the train are important (for 40% of them even "very" important) and would therefore be a significant reason for the decision to choose the train as a mode of transport to the airport. For over 80% of travellers the shorter travel time is correspondingly important (see Figure 2).




Figure 2: Importance of luggage check-in on the train and check-in on the train (see GepäckLoS & Albl 2015)

For a short travel time, in addition to high travel speed and short stop-over time, an efficiently used travel time is also important. This can be achieved by relocating activities at the airport (e.g. check-in and luggage check-in) to the train. For this, an appropriate interior design in an airport feeder train is necessary. With regard to check-in service, it must be taken into account that through the use of new media, the classic check-in at the counter is being increasingly replaced by web check-in or mobile check-in. It is to be assumed that check-in at the counter is predominantly used in connection with luggage check-in. However, the possibility of check-in on the train is rated as similarly important to the possibility of luggage check-in on the train.

Regarding the influencing criteria: whether in the future appropriate airport feeder trains in long-haul transport will be chosen, 65% of travellers indicate that the possibility of luggage check-in on the train would have an influence on behaviour in the choice of transport mode. For more than 25% this possibility would have a great influence. In terms of travel time, over 80% of travellers say that a shorter travel time would have an influence on the future choice of the transport mode for arrival to flights and for 45% travel time for arrival would have a large influence (see Figure 3). It is important to take into account that travel time for arrival is not the only travel time to the airport, but is to be considered as a whole-time requirement for door-to-door mobility (see GepäckLoS).




Figure 3: Influence of diverse criteria on the choice of transport mode for airport feeder traffic (see GepäckLoS & Albl 2015)

5. Conclusion

The studies show that there is a great interest among air travellers in using the train for arrival to the airport. Attractive service features tailored to air travellers are essential for the acceptance of the train. These include: on the one hand, already known services and in many cases services that have already been implemented by many providers in the area of "connection guarantees". On the other hand, it is clear that above all luggage transport has a major influence on the choice of the transport mode, also in terms of airport arrival behaviour. In this area, there are to date few or no suitable service concepts that ensure the attractiveness of the train to a sufficient degree. At the same time, it is clear that from today's point of view, effective innovative concepts such as luggage check-in during train travel to the airport would create corresponding interest and acceptance by air travellers and would have a deciding influence on the choice of transport mode.

If the aim is to transfer a large part of intra-European short-haul air-feeder traffic as well as the airport-feeder traffic overall to the train, it is essential to develop innovative service concepts that are from the traveller's point of view, highly attractive and go beyond what is offered today.

6. References

- Albl, Christian: Innovativer Flughafenzubringer im Fernverkehr - Anforderungen und Reisendenbedürfnisse, Diplomarbeit, FH St. Pölten, 2015.
- Chiambaretto, Paul; Decker, Christopher: Air-rail intermodal agreements: Balancing the competition and environmental effects, in: Journal of Air Transport Management, Volume 23, 2012, S. 36-40.
- Chiambaretto, Paul; Baudelaire, Claude; Lavril, Thibault: Measuring the willingness-to-pay of air-rail intermodal passengers, in: Journal of Air Transport Management, Volume 26, 2013, S. 50-54.
- Delfmann, Werner: Strategic Management in the Aviation Industry, Hampshire/Burlington, 2005.
- Europäische Kommission – Generaldirektion Energie und Verkehr: Air and Rail Competition and Complementarity – Final Report, 2006, S. 6.
- Europäische Kommission: Mitteilung der Kommission an das europäische Parlament, den Rat, den europäischen Wirtschafts- und Sozialausschuss und den Ausschuss der Regionen – Fahrplan für den Übergang zu einer wettbewerbsfähigen CO₂-armen Wirtschaft bis 2050, 2011a.
- Europäische Kommission: Survey on passengers' satisfaction with rail services – Analytical report, 2011b.
- Europäische Kommission: WEISSBUCH. Fahrplan zu einem einheitlichen europäischen Verkehrsraum – Hin zu einem wettbewerbsorientierten und ressourcenschonenden Verkehrssystem, 2011c.
- GepäckLoS, Endbericht Projekt GepäckLoS, Sondierungsprojekt Mobilität der Zukunft, 2.Ausschreibung, FFG, 2015
- Givoni, Moshe; Banister, David: Airline and railway integration, in: Transport Policy, Volume 13, 2006, S. 386-397.
- Givoni, Moshe; Banister, David: Role of the Railways in the Future of Air Transport, in: Transportation Planning and Technology, Volume 30, 2008, S. 95-112.
- Givoni, Moshe: Benefits to Airlines from Using High-Speed Train Services on Routes from a Hub Airport, in: Airlines Magazine e-zine edition, Issue 34, S. 1-4.
- Jorritsma, Peter: Substitution Opportunities of High Speed Train for Air Transport, in: Airlines e-zine edition, Issue 43, 2009, S. 1-4.
- Lijesen, Mark G.; Terpstra, Ilse: High-speed Train as a Feeder for Air Transport, in: Airlines e-zine edition, Issue 49, 2011, S. 1-5.
- Reis, Vasco; Meier, J. Fabian; Pace, Giuseppe; Palacin, Roberto: Rail and multi-modal transport, in: Research in Transportation Economics, Volume 41, 2013, S. 17-30.
- Rüger, Bernhard: Bereitschaftselastizität – Empirische Ermittlung zum Verkehrsmittelwahlverhalten, Dresden, 2005.
- Rüger, Bernhard: Reisegepäck im Eisenbahnverkehr, Dissertation, TU-Wien, 2004
- Schulz, Axel; Baumann, Susanne; Wiedenmann, Simone: Flughafen Management, München, 2010.
- Yang, Hangjun; Zhang, Anming: Effects of high-speed rail and air transport competition on prices, profits and welfare, in: Transportation Research, Part B 46, 2012, S. 1322-1333.
- <http://ec.europa.eu/transport/modes/air/doc/flightpath2050.pdf> (Stand: 16.02.2015)
- DB, Rail&Fly, <http://de.wikipedia.org/wiki/Interlining> (Stand: 01.2.2015)
- <http://de.wikipedia.org/wiki/Rail%26Fly> (Stand 01.2.2015)
- SBB: Fly Rail Baggage. <http://www.sbb.ch/bahnhof-services/dienstleistungen/reisegepaeck/fly-rail-baggage.html> (Stand 01.2.2015)
- tgvair. http://www.airfrance.at/DE/de/common/resainfovol/avion_train/reservation_avion_train_tgvair_airfrance.htm (Stand: 20.1.2015); SNCF, tgvair, <http://aide.voyages-sncf.com/toute-laide-vol/je-reserve-mon-voyage/informations-sur-votre-voyage-bagage-assistance/reserver-un-billet-d-avion-avec-un-pre-acheminement-en-train-tgv-air> (Stand: 20.1.2015); Oman Air, tgvair, <http://www.omanair.com/plan-and-book/tgvair-rail-fly> (Stand: 20.01.2015)
- <http://de.wikipedia.org/wiki/AIRail> (Stand: 20.1.2015)
- DB, AIRail, <http://www.bahn.com/i/view/AUT/de/prices/germany/airrail.shtml> (Stand: 1.2.2015)
- http://www.oebb.at/de/Reiseplanung/Reisen_zum_Flughafen_Wien/Austrian_AIRail/index.jsp (12.2.2015)